

				<b>COMMENTS</b>
<b>SFU Goldcorp Centre for the Arts (Djavad Mowafaghian Cinema)</b> 149 W Hastings St				<b>Date First Conducted: May 28, 2013</b> <b>Date Last Updated: July 9, 2014</b>
Note: This audit was completed for the Vancouver Queer Film Festival. Categories where our specific event policies will be applied (rather than that of the venue) will be marked as VQFF.				
<b>OVERALL ACCESSIBILITY RATINGS:</b>	<b>FULL</b>	<b>SEMI</b>	<b>NON</b>	<b>COMMENTS</b>
<b>Blind and Low Vision</b>	<b>FULL</b>			Well lit, well-marked walkways, Braille signage, very few obstructions.
<b>Deaf, Hard of Hearing, or Other Audio Barriers</b>		<b>SEMI</b>		Some accommodation available in the form of Hearing Assist
<b>EMS (Electro Magnetic Sensitivity)</b>			<b>NON</b>	Inside a cell phone tower and internet hub, no specifically noted areas of refuge, no alternative internet access in use. Guests asked to turn phones off in theatre.
<b>Multiple Chemical Sensitivity Scent Reduction/ Scent Free</b>		<b>SEMI</b>		No scent policy in place, though minimal evidence of industrial cleaners, and no air "fresheners" in the bathrooms.
<b>Wheelchair/ Scooter User /Mobility Limited</b>	<b>FULL</b>	<b>SEMI</b>		No access between front and back of theatre (due to stairs with no ramp option). However wheelchair access and seating is available at back of theatre (take elevator to 3rd floor and enter main theatre entrance) and at front of theatre (take elevator to 2nd floor; VQFF volunteer will escort you to front row seating)
<b>Wheelchair Access Bathrooms</b>	<b>FULL</b>			Fully wheelchair accessible washroom stalls in both washrooms on both 2nd and 3rd floors (access by elevators)
<b>Gender Neutral Access</b>	<b>FULL</b>			VQFF will place gender destabilizing signs on washroom doors

for more info: <http://radicalaccessiblecommunities.wordpress.com/radical-access-mapping-project-vancouver/>

<b>GENERAL RENTAL INFO</b>	Y	N	N/A	<b>COMMENTS</b>
Size of space, in square footage				
Maximum capacity for events				
Rental fees (give full week range)				
What does rental include?				
Specific requirements for rental				

<b>SIGNAGE &amp; WAYFINDING</b>	Y	N	N/A	<b>COMMENTS</b>
Signage in a clearly visible location?	<b>Y</b>			
Highly visible w/large, thick lettering <22pt font?	<b>Y</b>			
Non-glare finish?	<b>Y</b>			
Letters & background high contrast?	<b>Y</b>	<b>N</b>		
Braille?		<b>N</b>		

Tactile?	Y			
At a good height (5' above floor to centre-line of sign)?	Y			
Can a person approach within 36" of sign without standing within door	Y			
Is the building plan posted at entrance?	Y			
Directional signage large & consistent (colour, height, placement)?	Y			
Well-lit at night?	Y			
<b>LIGHTING</b>				
Is lighting even throughout the venue?	Y	N	N/A	COMMENTS
Are there well-lit areas for people who use sign language to lip read and/sign?	Y			
Are any hazards well-lit?	Y			
what kind of lighting: fluorescent, incandescent, halogen etc? Describe				halogen, fluorescent, incandescent, lots of natural light in building
Can fluorescent lighting be turned off and other lighting used instead?				unknown
Are strobe light used in the space?				not for VQFF
Warning signs used if strobe light/ smoke/ explosive sounds are used?				not for VQFF
<b>VEHICLE &amp; MOBILITY SCOOTER PARKING</b>				
Accessible or other parking within 200 feet of the building?	Y	N	N/A	COMMENTS
Well-signposted (upright & ground signage)?	Y			
Signage regarding the misuse of the spaces?	Y			
Are the spaces on level ground?	Y			
Is there a slip resistant surface?	Y			
Extra space designated to allow access to & from car (12' wide; 26'	Y			
Allow easy & barrier-free access to closest entrance?	Y			
Can the user avoid passing through traffic & behind parked cars?	Y			
Are there areas/ spaces inside to park mobility scooters? Where?	Y			
Are there requirements to park inside? (eg pre arrange, speak with staff)				no, but leave at your own risk
<b>EXTERIOR ACCESS</b>				
Outdoor paths in good condition (no roots, cracks, holes)?	Y	N	N/A	COMMENTS
Marked w/paint to indicate wheelchair accessible paths?		N		
Outline path edges with high contrast paint?		N		
Grate slots go against traffic flow?	Y			
Grate slots no more than 1/2" wide?	Y			
Sidewalks, ramps & paths 36" wide?	Y			
Drop-off near accessible entrance?	Y			
Walkways well-lit at night?	Y			
Slip-resistant surface?	Y			
<b>GETTING THERE: PUBLIC TRANSPORTATION ETC.</b>				
Transit near accessible entrance? How near?	Y			
Are there curb cuts leading from transit to the venue?	Y			
Transit accessible?	Y			
Bus? Train? Other?				bus, train, seabus

Route #s and other information				
Are transit tokens available?				<b>VQFF</b>
Bike lockups? Where?	<b>Y</b>			various locations right outside the building
<b>DOORS</b>				
	<b>Y</b>	<b>N</b>	<b>N/A</b>	<b>THEATRE</b> <b>MAIN</b>
Is there a wheelchair accessible entrance?	<b>Y</b>			<b>Y</b> <b>Y</b>
Is there signage to the accessible entrance?	<b>Y</b>			<b>Y</b> <b>Y</b>
Entrance well lit at night?	<b>Y</b>			<b>Y</b> <b>Y</b>
Path to the accessible entrance clear of obstacles, roots, big cracks, etc?	<b>Y</b>			<b>Y</b> <b>Y</b>
Does door open inwards or outwards?				<b>OUT</b> <b>OUT</b>
Door clearance at least 32"? E.g. at least 32" from door edge to ramp edge?	<b>Y</b>			<b>33" (stage); 32" (upstairs)</b> <b>Y</b>
Operable by a single effort (no more than 8.5 lbs pressure for push or pull)?				<b>Y</b> <b>Y</b>
Are doors automatic?				<b>N</b> <b>Y</b>
Do automatic doors work?				<b>N/A</b> <b>Y</b>
Can users open doors themselves? Wait for assistance? Describe.				<b>Y</b> <b>Y</b>
Thresholds flush with floor, or nearly so (>1/2")?				<b>Y</b> <b>Y</b>
Doormats stationary, flat or recessed (> 1/2" high)?	<b>Y</b>			<b>Y</b> <b>Y</b>
Wing handles, not knobs?				
3 second closing delay?				<b>No, it closes quickly</b> <b>Y</b>
Peephole or windows in doors reachable (> 5 high')?				<b>N/A</b> <b>Y</b>
Locks no higher than 5'?				<b>N</b> <b>Y</b>
Is there a doorbell?				<b>N</b> <b>N</b>
If so, is there a visible and/or tactile indicator? Describe.				<b>N/A</b> <b>N/A</b>
<b>ELEVATORS/LIFTS</b>				
	<b>Y</b>	<b>N</b>	<b>N/A</b>	<b>COMMENTS</b>
Do you have a lift?		<b>N</b>		(Lifts are smaller than elevators & have no room for manoeuvrability)
Do you have an elevator?	<b>Y</b>			Rest seating located near elevators (padded benches)
Elevator size at least 5' X 5'?	<b>Y</b>			6.5' wide x 5.3' deep
Lift dimensions at least 32"W x 48"L?			<b>N/A</b>	
Threshold no greater than 1/2"?	<b>Y</b>			
Doors or compartment opens at least 32" wide?	<b>Y</b>			42"w
Elevator call buttons at a reasonable height (35" - 54" above floor)?	<b>Y</b>			
Clear of obstructions in front of call buttons?	<b>Y</b>			
Call buttons tactile?	<b>Y</b>			
Call buttons brailed?	<b>Y</b>			
Braille to left of call buttons?	<b>Y</b>			
Tactile floor identification numbers at each door (height of 54")?	<b>Y</b>			
Braille floor identification numbers at each door (height of 54")?	<b>Y</b>			
Audible signals when elevator call is answered?	<b>Y</b>			
Audible signals for direction?		<b>N</b>		
Handrails on three sides of elevator?	<b>Y</b>			

Handrails mounted 36" above floor?	Y			
Does it require a key?		N		
Closing delay (3 seconds or more)?	Y			
Electronic re-opening activators on elevator door?	Y			
Can lift/elevator be operated without assistance? Someone available to assist?	Y			
Are all staff trained to operate the lift &/or are there clear instructions available?	Y			
<b>ESCALATORS</b>				
Does your venue offer an escalator?	Y	N	N/A	COMMENTS
How wide between rails?			N/A	
Is there an escalator for both directions?			N/A	
<b>STAIRS &amp; STEPS</b>				
How many? Exact count.				28 steps inside theatre from top to stage (when you enter at the back of the theatre via the 3rd floor)
Is there a ramp nearby?		N		Not from the back of the theatre to the front. However, if guests enter at the front of the theatre via the 2nd floor entry, they can take a short ramp from the stage to front row priority seating.
Do the stairs have a non-slip surface?	Y			
Tactile warning strips on stair edges?	Y			
Good lighting?	Y			
Contrast lines on steps (top/bottom yellow, rest white)?	Y			
Closed risers?	Y			
Maximum step height 7" & uniform?	Y			6" high
Tread size is at least 11"?	Y			18" deep
Suspended stairs have sufficient warning devices (planters or railings)?			N/A	
Continuous handrails? Height?		N		
Distance between handrails			N/A	
Handrails extend 12" past top riser & bottom tread?			N/A	
Handrails 1 1/4" to 1 1/2" in diameter & easy to grasp?			N/A	
Handrails in contrasting colour?			N/A	
<b>RAMPS: EXTERNAL</b>				
Are there ramps to enter the space? <b>See additional diagram to download for SFU Goldcorp</b>	Y			
Easy to find / well posted / etc?	Y			
Marked by access sign?	Y			
Gradient no more than 1:12? (less than 1 foot of rise for every 12 feet of ramp)	Y			Bottom line: do not have anything steeper than this
Textured, non-slip surface?	Y			
Detectable warning surface?		N		
Continuous & sturdy handrails?	Y			
Handrails 36" above ramp?	Y			

Distance between handrails?				43.5" w
Handrails extend 12" beyond top & bottom of ramp?	Y			
Rest areas at less than 30' intervals?	Y			
Well-lit?	Y			
At least 32" from door edge to ramp edge?	Y			
<b>RAMPS: INTERNAL</b>				
Are there ramps inside the venue?	Y	N	N/A	COMMENTS
Easy to find / well posted?	Y			Ramp in place from stage to first row priority access seating (must enter theatre from the 2nd floor to access it)
Marked by access sign?			N/A	Easy to find
Gradient no more than 1:12? (less than 1 foot of rise for every 12 feet of ramp)			N/A	Bottom line: do not have greater than a 10 degree angle in venue
Textured, non-slip surface?			N/A	
Detectable warning surface?			N/A	
Continuous & sturdy handrails?		N		none
Handrails 36" above ramp? width apart?			N/A	
Handrails extend 12" beyond top & bottom of ramp?			N/A	
Rest areas at less than 30' intervals?			N/A	
Well-lit?			N/A	
<b>HALLWAYS &amp; FLOORS</b>				
Fire doors have magnetic hold-opens?	Y	N	N/A	THEATRE MAIN
Clear of obstacles?				Y Y
Door edges painted contrasted colour as warning if door is slightly open?				N N
Carpet tightly woven, non-static, level loop with direct glue-down?				Y N/A
All floors non-glare?				Y Y
All floors non-slip?				Y Y
Floor surface easy for person in wheelchair to move over?				Y Y
Are there obstructions in the halls or other common areas? Please detail.				N N
<b>ACCESSIBLE ROUTE THROUGH VENUE</b>				
Is there an at least 3' wide accessible corridor through the venue from the accessible entrance to the bathrooms?	Y			COMMENTS
Is it marked and/or monitored? How? (tape? rope? attendant? etc)			N/A	
<b>ASSISTIVE LISTENING DEVICES / SERVICES / ARRANGEMENTS</b>				
Audio Test: is there feedback, electrical interference or hum?		N		
Can the speaker be easily heard from any place in room?	Y			if mic'd, yes
Acoustics check: Clap, is there an echo? Dead spots?		N		
For acoustics: is there carpeting, padded tiles, upholstered seats?				carpeting throughout
Adjust-able microphones available?	Y			

Can loud fans and other equipment be turned off when not using?		N		
Can there be unobstructed views for interpretation and lip-reading?	Y			
Can front row seating available to Deaf, HoH, low vision at no extra charge?	Y			See VQFF Accessibility Volunteer(s) to be seated in priority access seating (There are always approx 6 wheelchair seating spots at back of theatre; additional wheelchair seating may be provided in the front row if needed)
Is that front row seating wheelchair accessible?	Y			via alternate entrance
If a mic or lectern is used, can the speaker's mouth be visible for lip reading?	Y			
Infra-Red system?		N		
FM system? i.e. a personal receiver worn by the person with the hearing loss & a transmitter worn by the speaker. The amplification provided by the person with the hearing loss allows them to participate in a large audience setting as the speech is transmitted directly to the personal receiver blocking out other environmental sounds)	Y			Hearing Assist available, but no details on audit or on followup call.
Are there signs to indicate availability of the system and where it's located?		N		
Minimal internal noise (Noisy heating/ cooling system)?	Y			
Limited number of angles/ walls/ pillars to reduce sound bouncing?	Y			
If this is an event, is sign language interpretation provided?			N/A	
How is this arranged?			N/A	
Are free copies of programs, agenda, speeches, etc available for interpreters?			N/A	
If interpretation isn't covered by the venue/event, can someone bring their interpreter free of charge?			N/A	
Closed Captioning capabilities? Give details.		N		
How is this arranged? Is there a fee?			N/A	
Are Communication Access Real-Time Translation (CART) services offered?		N		
If so, how is this arranged?			N/A	
Any other services offered for those with barriers to accessing audio?		N		not that we have been made aware of at time of audit or on followup
<b>PUBLIC TELEPHONE</b>				
Is there a public telephone available?	Y	N	N/A	COMMENTS
Clear path width of 30"?	Y			not in the theatre itself, but on the premises, just outside main doors
Located in a low ambient noise level area?	Y	N		mixed, depends on events/ traffic flow
Handset & coin receiver within 48" of the floor?	Y			
Dial &/or coin slot 36"-48" from floor?	Y			
Cord minimum 29" long?	Y			
Phone directories kept at accessible level?			N/A	
TTY?		N		
Shelf provided for TTY?			N/A	
If TTY is provided, do staff know how to operate it?			N/A	
Do the phones have volume controls?	Y			

WATER FOUNTAIN	Y	N	N/A	COMMENTS
Is there a water fountain available?		N		could not locate one on audit
Provided at varying heights?			N/A	
Recessed so as not to cause obstruction?			N/A	
Easy to operate?			N/A	
<b>EMERGENCY SYSTEM</b>				
EMERGENCY SYSTEM	Y	N	N/A	THEATRE MAIN
Emergency evacuation plan posted?				N Y
Does it fit requirements for accessible signage?				N/A N
Audible alarm signals?	Y			Y Y
Visible alarm signals? flashes <5 flashes/second?				Y Y
Refuge area available, or accessible exit doors?				Y Y
Fire alarms within reach (5' from floor)?				Y Y
Emergency doors clearly marked?				Y Y
Crash (panic) bar on doors?				Y Y
Fire extinguishers? How far from ground?				Y Y
Sprinkler system?		N		N Y
Smoke detectors?	Y			Y Y
Is there a first aid kit anywhere?				
<b>SEATING</b>				
SEATING	Y	N	N/A	COMMENTS
Is rest seating available in the venue?	Y			
Armrests?	Y			
Is there a variety of seating options?		N		
Are there seating options other than folding chairs?	Y			
Dimensions of seating options =				17" wide to 19" wide range x 17" deep x 17" high
Weight-bearing capacity of seating is high? E.g. is seating sturdy/solid?				space from front of seat to back of the seat immediately in front = 10"
At least 16" from ground to top side of seat?	Y			
In what areas can people use wheelchairs?				all except balcony
Do wheelchair seating spaces allow people to sit with companions?				some
Does seating allow a guide dog to sit under a chair?				some (not theatre folding seats, but standalone seats yes)
Is front row & barrier-free seating available for blind/low vision, Deaf/hoh or other people who require closer seating?	Y			
Is seating secure (eg. no loose bolts)?	Y			
Is there priority seating for disabled and/or fat folks and/or elders?	Y			
If so, how is it marked/ maintained/ made known?				VQFF will mark it for their programs
Service counters (ticket booths, bars, cutlery/condiment stands etc) easily accessed by someone using a wheelchair? Give dimensions.				
FOOD, BEVERAGE, SERVICE COUNTERS, BANK MACHINES	Y	N	N/A	COMMENTS
Can people have food etc delivered to their table?		N		
Can people bring their own food & bev into the venue, if required?	Y			though like any theatre it is not encouraged.
If food is served, what is the price range?			N/A	
Options? Vegan, vegetarian, kosher, gluten free, halal, etc?			N/A	
Do people have to clear off their own tables?			N/A	

Is free water available?	Y			
Service counters (ticket booths, bars, cutlery/condiment stands etc) easily accessed by someone using a wheelchair? Give dimensions.	Y			
Automated bank machine buttons < 48"high?				
Enough clearance to access ATM?	Y			
Is there a coatcheck available?		N		would be er event
What is the cost?			N/A	
Is it accessible?			N/A	
<b>SCENT-FREE or SCENT-REDUCED POLICY? / AIR QUALITY/FLOW</b>				
	Y	N	N/A	COMMENTS
Do you have a policy in place?		N		
What does it cover? Reduced or free? All events or only some? Etc.Describe:			N/A	
In what formats do you provide info on the policy?			N/A	
Are there air "fresheners" anywhere? Where?		N		
Can they be moved/blocked?			N/A	
Are there any other scents present? (e.g. incense, sage, paints, etc)	Y			as someone sensitive to fragrance, the auditor detected very light cleaners, almost unnoticeable.
Can use of those scented products be stopped/ alternated use/ altered/ etc?		N		
Are there ai puriiers/filters available for use in the space?		N		
Is there air conditioning?	Y			
Any special requests regarding air flow/ temp/ etc?	Y			If you want the room cooled down beforehand, you must request it
<b>ALCOHOL AND OTHER SUBSTANCES</b>				
	Y	N	N/A	COMMENTS
Are alcohol or other substances served or consumed in the space?		N		
Are alcohol or other substances a central aspect of the space?		N		
Are there designated sober spaces within the larger venue?		N		
If so, are those spaces wheelchair or otherwise accessible?			N/A	
Are non-alcololic beverages available?		N		
<b>SMOKING AREAS</b>				
	Y	N	N/A	COMMENTS
Accessible for people using wheelchairs and with other access needs?	Y			
At least 6 meters from doors/ intake?	Y			
How is it blocked off from main spaces?				outside, away from intakes, well away from theatre
<b>SHADE &amp; SHELTER</b>				
	Y	N	N/A	COMMENTS
accessible to people using wheelchairs and with other access needs?	Y			
<b>WHEELCHAIR/ MOBILITY/ ETC EQUIPMENT HIRE</b>				
	Y	N	N/A	COMMENTS
Can people hire or borrow a wheelchair or other equipment at the venue?		N		
If so, how is this arranged?			N/A	
How many do you provide?			N/A	

<b>GUIDE DOGS</b>	Y	N	N/A	COMMENTS
Is water available for guide dogs?	Y			
Is there an area where a guide dog can be toileted?	Y			
Is there a quiet area where a guide dog can rest?	Y			
<b>STAFF/ORGANIZATIONAL AWARENESS</b>	Y	N	N/A	COMMENTS
Have staff undertaken any disability awareness trainings?			N/A	
Staff have experience assisting ppl w/disabilities and/or specific needs?			N/A	
If so, are staff available to provide assistance to patrons?			N/A	
Do any staff members have sign language skills?			N/A	
Is there a staff member with responsibility for access or for patrons with a disability? Who? Provide contact info.		N		
Are people encouraged and enabled to discuss issues around accessibility & ableism in the space? Describe.			N/A	
Are conversations currently underway re: increasing access & awareness?			N/A	
<b>CHILDCARE</b>	Y	N	N/A	COMMENTS
Is childcare available onsite?				VQFF (see queerfilmfestival.ca for details on VQFF's childcare stipend)
Is it wheelchair and otherwise accessible? Where is it located?				VQFF
How much does it cost?				VQFF
How is it arranged?				VQFF
Who is the contact person? And who is directly providing care?				VQFF
<b>FINANCIAL ACCESS</b>	Y	N	N/A	COMMENTS
What is the cost to enter venue?				VQFF (see queerfilmfestival.ca for details on ticket and membership cost)
Do you offer sliding scale or a "no one turned away" policy?				VQFF - sliding scale, discounted tickets available for students, seniors and underemployed patrons
Is there a "minimum order"? Describe.				VQFF, depends on event - see website for full details
What is the cost to rent the space? Please give the range across the week.				VQFF
What is included in that rental price? What is extra?				VQFF
<b>FINDING INFO ABOUT THE SPACE / EVENT</b>	Y	N	N/A	COMMENTS
Is information about the venue & event available in a range of formats (e.g. Printed material, large print, audio, website)? Which formats are used?	Y			printed, online
Is information about goods and services (programs and menus) available in a range of formats? Which formats?	Y			printed, online
Is printed information easy to read?	Y	N		mix
Is information available in multiple languages? Which?		N		English only
How are multiple formats/ languages accessed?			N/A	

Is accessibility information posted online & in promotional material? Specify.				For VQFF events, yes - full details on website; summary in Festival Guide
<b>ENTRY TO VENUE (ID REQUIREMENTS, SECURITY, ETC.)</b>				
Is identification required to enter the space? Describe.	Y	N	N/A	COMMENTS
Does staff hold onto ID or simply check it?		N	N/A	
Do you have specific gender requirements to enter? Describe.		N		
Must people be legal citizens to enter?		N		
Re undocumented folks, how do you handle ID requirements?			N/A	
Are there security cameras anywhere inside or at entry to venue?	Y			
Are there security personnel at or outside the venue?	Y			
<b>EMS (electro magnetic sensitivity) ACCESS</b>				
	Y	N	N/A	COMMENTS
<i>Please note that this is an area of accessibility that's new to many, RAMP included. There is a learning curve, and we're committed to improving our information and</i>				
Are there alternatives to fluorescent lighting?		N		
Does the venue have wireless internet access?	Y			
Is there an option for using an ethernet cable access, not full-scale WiFi?		N		
Are cellphones allowed in the space?	Y			
Can people be asked at events to turn off / airplane mode their cellphones?	Y			
Is the venue located within close proximity to cell phone towers?	Y			
Is the venue located in a dense wifi hotspot area?	Y			
Is there an identifiable, confined WiFi zone for checking non emergency messages, making calls, using WiFi laptops, etc.?		N		
If so, how do people locate these? Are they noted?			N/A	
For more specific information on making your event/venue more EMS accessible:				
<b>PUBLIC WASHROOMS</b>				
<b>Women's, public, wheelchair accessible, non-keyed (same details for women's washroom on both 2nd &amp; 3rd floors)</b>				
	Y	N	N/A	COMMENTS
Room #, if applicable:				
Is the bathroom publicly available without a key/code?	Y			
If not accessible without key/code, where is it located?			N/A	
Signage to accessible washrooms?	Y			
Main washroom entrance at least 32" wide?	Y			
Is the door automatic?	Y			no door, open entrance
Do automatic doors work?			N/A	
Light switch <5' from ground? Location?	Y			
Single or multi-stall?				multi, with w/c access stall plus 3 non-w/c access
Are the bathrooms marked as all-gender? Specify:				<b>VQFF</b>
Is it in a safe location (ie. not in an isolated spot)?	Y			

Next to a gender-specific restroom so that it serves as a de facto "men's" or "women's" restroom?			N/A	
Does the bathroom have a changing table? specify location and height:		N		
Sharps container/s?		N		
Scent-free soaps available?		N		
Are there air "fresheners" in the washroom?		N		
Can they be moved/ removed/ blocked?			N/A	
Is there an audible alarm system?	Y			
Wall-mounted wash-basin, or space provided under sink with wheelchair clearance of 30" wide X 10" deep to pipes or 20" to wall X 28" high)?	Y			
Pipes wrapped to prevent burns?		N		
Lowered mirror (40"h maximum from floor, or tilted down)?	Y			
Lever-type faucets, not spring-loaded?				auto
How far are faucet handles from the front of sink?			N/A	
How far are soaps from the front?				17"
Towel dispensers 54" from floor? location?	Y			
Is there a tampon/pad dispenser?	Y			
Located at no more than 48" from floor?	Y			
Is the accessible stall marked as accessible?		N		
Is there at least one stall with good internal clearance (5'X 5')?	Y			
Does the door lock from the inside?	Y			
Do locks work securely?	Y			
Free of obstructions other than toilet? Describe if necessary.	Y			
Compartment door swings outwards (clearance of 32")?	Y			
Is the stall door at least 32" wide?	Y			
Is the stall door self-closing?	Y			
Does it have an inside door handle?	Y			
If the door to the stall is directly in front of the toilet, the toilet cannot overlap the required maneuvering clearance (5' x 5') for the stall door. Describe setup.			N/A	
If sink is in the stall, it should be opposite the stall door, next to the toilet, the stall compartment must measure 66"d x 60"w. Describe setup.			N/A	
Grab bars on 2 sides? Which?	Y			
Grab-bars max 1" from wall?	Y			
Grab bars minimum 33"h to a maximum of 36"h at top?	Y			
Grab bars minimum 42" long?	Y			
Transfer easily to toilet?	Y			
Toilet paper holder 7"- 9" in front of toilet ( @centerline of the dispenser)?	Y			
Toilet paper outlet between 20" - 48" from floor?	Y			
What kind of flush mechanism? Lever? Centre button? Etc.				lever
Is the toilet seat 17"h - 19"h? Specify.	Y			17"h

Is the centreline of the toilet 12" - 18" from the side wall/ partition?	Y			16 1/2"
Space between wall and edge of toilet				10"w
Coat hook & inside shelf inside cubicle 40"h min - 48"h max?	Y			
Alarm button for people to use in an emergency? Where is it?	Y			right side, pull string
How high is the urinal?				N/A
Wall hung or stall type urinal?				N/A
Is it on ground level?				N/A
Are there dividers between urinals?				N/A
Flush mechanism auto or lever at lower than 48" high?				N/A
Support bars?				N/A
Are there other stalls? How many?	Y			3 other stalls
Clearance under partition (divider between stalls) at least 9"h?	Y			
Door width in other stall/s				
Does door swing out in other stall/s?		N		
How much space is between the opened stall door and front of toilet?				32"
Is the centreline of toilet 17" - 19" from the side wall / partition?		N		14 1/2"
Other stalls measure a minimum of 60"deep x 35-37"w?		N		just under at 58" deep x 34" wide
Toilet seat in other stalls 11"h - 17"h?	Y			
Support bars?				
Are there showers?		N		
seat height				N/A
to support bar				N/A
to faucet				N/A
to showerhead				N/A
hook				N/A
<b>Men's, public, wheelchair accessible, non-keyed (same details for men's washroom on both 2nd &amp; 3rd floors)</b>	Y	N	N/A	COMMENTS
Room #, if applicable:	Y			
Is the bathroom publicly available without a key/code?	Y			
If not accessible without key/code, where is it located?				N/A
Signage to accessible washrooms?	Y			
Main washroom entrance at least 32" wide?	Y			
Is the door automatic?	Y			
Do automatic doors work?	Y			
Light switch <5' from ground? Location?	Y			
Single or multi-stall?				multi, with w/c access stall plus 1 non-w/c access, and 2 urinals
Are the bathrooms marked as all-gender? Specify:				VQFF
Is it in a safe location (ie. not in an isolated spot)?	Y			
Next to a gender-specific restroom so that it serves as a de facto "men's" or "women's" restroom?				N/A
Does the bathroom have a changing table? specify location and height:		N		

Sharps container/s?		N		
Scent-free soaps available?		N		
Are there air "fresheners" in the washroom?		N		
Can they be moved/ removed/ blocked?			N/A	
Is there an audible alarm system?	Y			
Wall-mounted wash-basin, or space provided under sink with wheelchair clearance of 30" wide X 10" deep to pipes or 20" to wall X 28" high)?	Y			
Pipes wrapped to prevent burns?		N		
Lowered mirror (40"h maximum from floor, or tilted down)?	Y			
Lever-type faucets, not spring-loaded?				auto
How far are faucet handles from the front of sink?			N/A	
How far are soaps from the front?				17"
Towel dispensers 54" from floor? location?	Y			
Is there a tampon/pad dispenser?		N		
Located at no more than 48" from floor?			N/A	
Is the accessible stall marked as accessible?		N		not the stall, but the washroom in general is noted
Is there at least one stall with good internal clearance (5'X 5')?	Y			
Does the door lock from the inside?	Y			
Do locks work securely?	Y			
Free of obstructions other than toilet? Describe if necessary.	Y			
Compartment door swings outwards (clearance of 32")?	Y			
Is the stall door at least 32" wide?	Y			
Is the stall door self-closing?	Y			
Does it have an inside door handle?	Y			
If the door to the stall is directly in front of the toilet, the toilet cannot overlap the required maneuvering clearance (5' x 5') for the stall door. Describe setup.			N/A	
If sink is in the stall, it should be opposite the stall door, next to the toilet, the stall compartment must measure 66"d x 60"w. Describe setup.			N/A	
Grab bars on 2 sides? Which?	Y			right and behind
Grab-bars max 1" from wall?	Y			
Grab bars minimum 33"h to a maximum of 36"h at top?	Y			
Grab bars minimum 42" long?	Y			
Transfer easily to toilet?	Y			
Toilet paper holder 7"- 9" in front of toilet ( @centerline of the dispenser)?	Y			
Toilet paper outlet between 20" - 48" from floor?	Y			
What kind of flush mechanism? Lever? Centre button? Etc.				lever
Is the toilet seat 17"h - 19"h? Specify.	Y			17"h
Is the centreline of the toilet 12" - 18" from the side wall/ partition?	Y			16 1/2"
Space between wall and edge of toilet				10"w
Coat hook & inside shelf inside cubicle 40"h min - 48"h max?			N/A	

Alarm button for people to use in an emergency? Where is it?	Y			right side, pull chain
How high is the urinal?				22"
Wall hung or stall type urinal?				wall hung
Is it on ground level?	Y			
Are there dividers between urinals?	Y			
Flush mechanism auto or lever at lower than 48" high?	Y			auto
Support bars?	Y			
Are there other stalls? How many?	Y			one
Clearance under partition (divider between stalls) at least 9"h?	Y			13"h
Door width in other stall/s				missed at audit, will update
Does door swing out in other stall/s?		N		
How much space is between the opened stall door and front of toilet?				32"
Is the centreline of toilet 17" - 19" from the side wall / partition?		N		14 1/2"
Other stalls measure a minimum of 60"deep x 35-37"w?		N		just under at 58" deep x 34" wide
Toilet seat in other stalls at least 11" high?	Y			18"
Support bars?		N		
Are there showers?		N		
seat height				N/A
to support bar				N/A
to faucet				N/A
to showerhead				N/A
hook				N/A
to faucet				N/A
to showerhead				N/A
hook				N/A
<b>ADDITIONAL INFORMATION:</b>				
<b>Please include any drawings of the layout and additional information which may not be included in the points above. Also, if it is appropriate, take</b>				
This template is regularly updated. If there's anything you'd like to see included, please contact RAMP. If you'd like to use this audit template in whole or in part to				
For more info: <a href="http://radicalaccessiblecommunities.wordpress.com/radical-access-mapping-project-vancouver/">http://radicalaccessiblecommunities.wordpress.com/radical-access-mapping-project-vancouver/</a>				